










a_p / DC	5 %	10 %	15 %	20 %	25 %	30 %	40 %	50 %	60 %	70 %	75 %	80 %	90 %	100 %
X.V	1.48	1.35	1.27	1.22	1.19	1.16	1.11	1.08	1.05	1.03	1.00	1.00	1.00	1.00
x.f	2.20	1.60	1.35	1.20	1.10	.95	.85	.75	.85	.95	1.00	1.00	1.00	1.00
x.f	.64	.64	.64	.64	.64	.65	.65	.67	.68	.71	.72	.74	.79	1.00

	SDET 13-F	SDMT 13-M	SDMT 13-R	SDET 13-FA	XDET 13
RE (mm)	-	-	-	-	-
BS (inch)	.069	.069	.069	.069	.322



DC	X.V	f_{max}
1.250	1.22	.006
1.500	1.26	.006
2.000	1.30	.007
2.500	1.34	.008
3.000	1.39	.009
4.000	1.43	.009
5.000	1.48	.010
6.000	1.53	.011
8.000	1.58	.013
10.000	1.63	.014

DC	RPMX	APMX/I
1.250	14.1°	.252/1.063
1.500	11.8°	.252/1.259
2.000	9.1°	.252/1.614
2.500	7.0°	.252/2.126
3.000	4.1°	.252/3.583
4.000	4.0°	.252/3.661
5.000	3.1°	.209/3.937
6.000	1.1°	.071/3.937
8.000	.4°	.022/3.937
10.000	.3°	.016/3.937

DC	DMIN	DMAX	SMAX DMIN	SMAX DMAX
1.250	2.362	3.520	.067	.067
1.500	2.953	4.064	.067	.067
2.000	3.819	5.056	.067	.067
2.500	4.803	6.055	.067	.067
3.000	5.945	7.056	.067	.067
4.000	7.795	9.016	.067	.067
5.000	9.764	11.008	.067	.067
6.000	12.087	13.008	.067	.067
8.000	16.181	17.008	.067	.067
10.000	20.197	21.008	.067	.067

a_p
.059